L Number	Hits	Search Text	DB	Time stamp
-	0	(event with (remote near4 devices) with	USPAT	2004/05/28 11:26
		consumer).ab.		
-	0	,	USPAT	2004/04/05 13:30
_	o	consumer\$1) (event with (remote near4 devices)	USPAT	2004/04/05 13:30
		consumer\$1)	ODIAI	2004/04/03 13:30
-	О .	(event\$1 with (remote near4 devices)	USPAT	2004/04/05 13:44
		same consumer\$1)		
-	200		USPAT	2004/04/05 13:45
-	"	((719/318).CCLS.) & (remote with (device\$1 or computer\$1) with event\$1).ab.	USPAT	2004/04/05 13:46
_	10		USPAT	2004/04/05 13:46
		or computer\$1) with event\$1)	55200	
-	0	((API with (transform\$3 or convert\$3 or	USPAT	2004/05/28 11:28
	177	updat\$3 or modif\$3)) same communi\$6).ab.	**************************************	0004/05/00 11 00
_	1//	((API with (transform\$3 or convert\$3 or updat\$3 or modif\$3)) same communi\$6)	USPAT	2004/05/28 11:28
_	0	((API with (transform\$3 or convert\$3 or	USPAT	2004/05/28 11:28
		updat\$3 or modif\$3)) same communi\$6) &		
		client\$1 & server41		
-	111	((API with (transform\$3 or convert\$3 or	USPAT	2004/05/28 11:28
		updat\$3 or modif\$3)) same communi\$6) & client\$1 & server\$1		
-	16	((API with (transform\$3 or convert\$3 or	USPAT	2004/05/28 11:57
		updat\$3 or modif\$3)) same communi\$6) same		
		client\$1 same server\$1		
-	19	(API with (transform\$3 or convert\$3 or updat\$3 or modif\$3)) with (request\$3 or	USPAT	2004/05/28 13:54
		repl\$6 or respons\$3) same client\$1 same		
		server\$1		
-	106		USPAT	2004/05/28 11:45
		updat\$3 or modif\$3)) with (request\$3 or		
		repl\$6 or respons\$3) same client\$1 same server\$1		
_	1		USPAT	2004/05/28 11:46
	_	or updat\$3 or modif\$3)) with (request\$3 or		2001,00,20 22110
		repl\$6 or respons\$3) same client\$1 same		
		server\$1).ab.		
-	0	((call\$3 with (transform\$3 or convert\$3 or updat\$3 or modif\$3)) with (request\$3 or	USPAT	2004/05/28 11:47
		repl\$6 or respons\$3) same client\$1 same		
		server\$1) same API		
-	35	' ' ' ' ' ' ' ' ' '	USPAT	2004/05/28 11:50
		or updat\$3 or modif\$3)) with (request\$3 or repl\$6 or respons\$3) same client\$1 same		
		server\$1) & API		
-	132		USPAT	2004/05/28 11:49
		or updat\$3 or modif\$3)) with (request\$3 or		
		repl\$6 or respons\$3)).ab.		0004/05/55 55 55
_	4	((call\$3 with (transform\$3 or convert\$3 or updat\$3 or modif\$3)) with (request\$3 or	USPAT	2004/05/28 11:49
		repl\$6 or respons\$3) & transaction\$1).ab.		
-	3	((call\$3 with (transform\$3 or convert\$3	USPAT	2004/05/28 11:54
		or updat\$3 or modif\$3)) with (request\$3 or		
		repl\$6 or respons\$3) same client\$1 same server\$1) & API & DLL		
_	0	l	USPAT	2004/05/28 11:55
	Ĭ	(transform\$3 or convert\$3 or updat\$3 or	ODFAI	2004/03/28 11.33
		modif\$3) with (request\$3 or repl\$6 or		
		respons\$3) same client\$1 same server\$1) &		
_	9	API & DLL	HCDAM	2004/05/20 22 55
_	9	(((API with (transform\$3 or convert\$3 or updat\$3 or modif\$3)) same communi\$6) same	USPAT	2004/05/28 11:57
		client\$1 same server\$1) & transaction\$1		
-	0	((java near2 virtual near2 machine) same	USPAT	2004/05/28 14:19
		(without with complil\$3)).ab.		
-	0	((java near2 virtual near2 machine) same (without with complil\$3))	USPAT	2004/05/28 14:21
-	0		USPAT	2004/05/28 14:20
		bytecode\$1).ab.		-111, 35, 25 14.20
		· · · · · · · · · · · · · · · · · · ·		I

-	0	(JVM with bean\$3 with adapter\$1 with	USPAT	2004/05/28 14:21
		bytecode\$1).ab.		
-	0	(JVM with bean\$3 with adaptor\$1 with	USPAT	2004/05/28 14:20
		bytecode\$1).ab.		·
-	0	(JVM with bean\$3 with bytecode\$1).ab.	USPAT	2004/05/28 14:21
_	0	(JVM with bytecode\$1).ab.	USPAT	2004/05/28 14:21
-	0	((java near2 virtual near2 machine) same	USPAT	2004/05/28 14:21
		(without with complil\$3)).ab.		
-	0	(JVM with bean\$3 with adapter\$1 with	USPAT	2004/05/28 14:21
		bytecode\$1).ab.		
_	0	(JVM with bean\$3 with bytecode\$1).ab.	USPAT	2004/05/28 14:23
_	ő	(JVM with bean\$3 with bytecode\$1)	USPAT	2004/05/28 14:22
_	163	(JVM with bytecode\$1)	USPAT	2004/05/28 14:22
1_	0	(bean\$3 with implement\$3 with	USPAT	2004/05/28 14:22
	U	bytecode\$1).ab.	OSPAI	2004/05/28 14:23
	0	(\$3bean\$3 with implement\$3 with	USPAT	2004/05/20 14:24
_	U	bytecode\$1).ab.	USPAI	2004/05/28 14:24
			HODAM	2004/05/20 14 24
-	0	(java same adapt\$3 with implement\$3	USPAT	2004/05/28 14:24
		with bytecode\$1).ab.		
-	0	(adapt\$3 with implement\$3 with	USPAT	2004/05/28 14:24
	_	bytecode\$1).ab.		
-	2	(adapt\$3 with implement\$3 with	USPAT	2004/05/28 14:27
		bytecode\$1)		
-	2	(implement\$3 with bytecode\$1 same	USPAT	2004/05/28 14:36
		without with compil\$3)		
-	0	(list\$3 with bytecode\$1 same without	USPAT	2004/05/28 14:37
		with compil\$3)		
-	3	(list\$3 with bytecode\$1 with compil\$3)	USPAT	2004/05/28 14:38
-	0	(listener\$3 with bytecode\$1 with	USPAT	2004/05/28 14:38
		compil\$3)		
_	29	(\$6bean\$3 with adapt\$6).ab.	USPAT	2004/05/28 14:39
_	0	(\$6bean\$3 with adapt\$6 & (bytecode\$1 or	USPAT	2004/05/28 14:39
		compil\$3)).ab.		2001,00,20 21135
_	1	((\$6bean\$3 with adapt\$6).ab.) &	USPAT	2004/05/28 16:01
	_	(bytecode\$1 or compil\$3)	ODIAL	2004/03/28 10:01
_	2	(interpret\$3 with compil\$3 same	USPAT	2004/05/28 17:05
	_	adapt\$6).ab.	USFAI	2004/05/28 17:05
	o	(interpret\$3 with compil\$3 same bean\$1	USPAT	2004/05/28 17:05
	٠).ab.	USPAI	2004/05/28 17:05
	5		TICDAM	2004/06/01 00:56
-		(interpret\$3 with compil\$3 same bean\$1)	USPAT	2004/06/01 09:56
-	1	(6,578,191 B1).pn.	USPAT	2004/06/01 14:15
-	0	(converg\$3 with section41).ab.	USPAT	2004/06/01 14:16
7	0	(converg\$3 with section41)	USPAT	2004/06/01 14:17
-	892	(TINA)	USPAT	2004/06/01 14:17
-	2	(TINA).ab.	USPAT	2004/06/01 14:18
-	24	(TINA same service same network\$3)	USPAT	2004/06/01 14:18
-	7	(TINA same service same network\$3 same	USPAT	2004/06/01 14:56
		session\$1)		, .
-	2	((TINA same service same network\$3	USPAT	2004/06/01 14:57
		same session\$1)) & API		
-	15	API same session with manager\$3 same	USPAT	2004/06/01 14:58
		communication		
-	10	API same (session near4 manager\$3) same	USPAT	2004/06/01 15:00
		communication		
	3	API same (session near4 manager\$3) same	USPAT	2004/06/01 15:38
		communication same applet\$1		
-	0	API same (session near4 manager\$3) same	USPAT	2004/06/01 15:08
		communication & TINA		-552, 55, 52 25.00
_	4	API same (session near4 manager\$3) &	USPAT	2004/06/02 15:15
	_	TINA		=====================================
_	o	API same TINA	USPAT	2004/06/01 15:24
-	53	API & TINA	USPAT	2004/06/01 15:32
_	4	API & (session near4 manager\$3) same	USPAT	2004/06/01 15:57
	*	TINA	JOFAI	2004,00,01 13:37
_	0	API same (session near4 manager\$3)	USPAT	2004/06/01 15:35
		same converg\$3	USPAI	2004/00/01 15:35
1_	0		HODAR	1 2004/06/03 15 35
-	0	API same (session near4 manager\$3) &	USPAT	2004/06/01 15:35
	_	converg\$3	ITODAM	1 2004/05/21 == ==
-	0	API same (session near4 manager\$3)same "	USPAT	2004/06/01 15:53
	_	same end to end"	an. =	0004/05/05
-	0	API same (session near4 manager\$3)same	USPAT	2004/06/01 15:53
		" end to end"	l	L

-	0	API same (session near4 manager\$3) & "	USPAT	2004/06/01 15:53
		end to end"		
-	0	API same ("session manager\$3") & " end to end"	USPAT	2004/06/01 15:53
-	0	API same ("session manager\$3")	USPAT	2004/06/01 15:54
-	0	API same ("session manager\$3")	USPAT	2004/06/01 15:54
-	54	API same ("session manager ")	USPAT	2004/06/01 15:54
-	16	API same ("session manager ") & " end	USPAT	2004/06/01 15:54
		user"		
-	1	API same ("session manager ") same " end user"	USPAT	2004/06/01 15:54
-	5	API & (session near4 manager\$3) & TINA	USPAT	2004/06/01 16:03
-	8	API same (session near4 manager\$3) same (plug or plug-in or plugin)	USPAT	2004/06/01 16:09
-	3	API same (session near4 manager\$3) same	USPAT	2004/06/01 16:11
		applet\$1		
-	73	API same (session near4 manager\$3)	USPAT	2004/06/01 16:11
-	4	(API\$1 same (session near4 manager\$3)).ab.	USPAT	2004/06/01 16:11
-	4	(API same (session near4 manager\$3	USPAT	2004/06/01 16:11
-	3)).ab. (API\$1 same (session near4 manager\$3) &	USPAT	2004/06/01 16:12
		applet\$3).ab.		
-	19	(API\$1 same (session near4 manager\$3) & applet\$3)	USPAT	2004/06/01 16:23
-	0	(API\$1 same (session near4 manager\$3) & realtor)	USPAT	2004/06/01 16:23
-	0	(API\$1 same (session near4 manager\$3) & realtor\$1)	USPAT	2004/06/01 16:23
-	5	(API\$1 same (session near4 manager\$3)	USPAT	2004/06/01 16:32
-	1	& house\$1) (API\$1 same (session with manager\$6)	USPAT	2004/06/01 16:33
-	20	same " end user") (API\$1 same (session with manage\$6)	USPAT	2004/06/01 16:37
-	18	same " end user") (API\$1 same (session with manage\$6)	USPAT	2004/06/01 16:33
-	18	same " end user" & applet\$1) (API\$1 with (session with manage\$6)	USPAT	2004/06/01 16:33
-	1	same " end user" & applet\$1) (API\$1 same (session near4 manage\$6)	USPAT	2004/06/01 16:39
-	31	same " end user") (API\$1 same (session near4 manage\$6)	USPAT	2004/06/01 16:39
_	8	& " end user") (API\$1 same (session near4 manage\$6)	USPAT	2004/06/01 16:39
_		& " end user" & applet\$1)	•	
	4	API same (session near4 manage\$6) & TINA	USPAT	2004/06/02 10:42
-	126	API same (session near4 manage\$6)	USPAT	2004/06/02 10:42
-	4	API same (session near4 manage\$6) & TINA\$6	USPAT	2004/06/02 10:42
-	6	API same (session near4 manage\$6) same	USPAT	2004/06/02 12:09
		applet\$3		
-	438	(719/328).CCLS.	USPAT	2004/06/02 12:10
_	6	((719/328).CCLS.) & (API same (session near4 manage\$6))	USPAT	2004/06/02 12:55
-	4	(((719/328).CCLS.) & (API same (session near4 manage\$6))) & (notif\$6)	USPAT	2004/06/02 12:55
-	1	(6,430,177 B1).pn.	USPAT	2004/06/02 15:49
-	0	(API with notif\$6 with session\$1).ab.	USPAT	2004/06/02 15:51
-	4	(API with notif\$6 same session\$1)	USPAT	2004/06/02 16:23
-	24	((session near4 manag\$6) with	USPAT	2004/06/02 17:07
		communication with session same \$3switch\$3)		
-	6	<pre>((session near4 manag\$6) with communication with session with \$3switch\$3)</pre>	USPAT	2004/06/02 17:00
-	19	((session near4 manag\$6) with communication with session with gate\$6)	USPAT	2004/06/02 17:07
-	3	((session near4 manag\$6) with communication with session same \$3switch\$3)&	USPAT	2004/06/03 12:23
		TINA\$1		
	L		<u> </u>	ı

L Number	Hits	Search Text	DB	Time stamp
-	0		USPAT	2004/05/28 11:26
		consumer).ab.		
-	0	(event with (remote near4 devices) with	USPAT	2004/04/05 13:30
		consumer\$1)		
-	0		USPAT	2004/04/05 13:30
	_	consumer\$1)		
-	0	(,	USPAT	2004/04/05 13:44
:		same consumer\$1)		
-	200		USPAT	2004/04/05 13:45
-	0	((719/318).CCLS.) & (remote with (device\$1	USPAT	2004/04/05 13:46
	10	or computer\$1) with event\$1).ab.	HODAM	2004/04/05 12 46
-	10	((719/318).CCLS.) & (remote with (device\$1 or computer\$1) with event\$1)	USPAT	2004/04/05 13:46
_	o		USPAT	2004/05/28 11:28
Ì		updat\$3 or modif\$3)) same communi\$6).ab.	USFAI	2004/03/28 11:28
_	177		USPAT	2004/05/28 11:28
		updat\$3 or modif\$3)) same communi\$6)		2001, 00, 20 22120
-	0	((API with (transform\$3 or convert\$3 or	USPAT	2004/05/28 11:28
		updat\$3 or modif\$3)) same communi\$6) &		
		client\$1 & server41		
-	111		USPAT	2004/05/28 11:28
		updat\$3 or modif\$3)) same communi\$6) &		
		client\$1 & server\$1		
-	16	((API with (transform\$3 or convert\$3 or	USPAT	2004/05/28 11:57
		updat\$3 or modif\$3)) same communi\$6) same		
	19	client\$1 same server\$1	HODAM	2004/05/20 55 5
-	19	, , ,	USPAT	2004/05/28 13:54
		updat\$3 or modif\$3)) with (request\$3 or repl\$6 or respons\$3) same client\$1 same		
		server\$1		
_	106	·	USPAT	2004/05/28 11:45
		updat\$3 or modif\$3)) with (request\$3 or		2001, 03, 20 11113
		repl\$6 or respons\$3) same client\$1 same		
		server\$1		
-	1	((call\$3 with (transform\$3 or convert\$3	USPAT	2004/05/28 11:46
		or updat\$3 or modif\$3)) with (request\$3 or		
		repl\$6 or respons\$3) same client\$1 same		
		server\$1).ab.		
-	0	, , , , , , , , , , , , , , , , , , , ,	USPAT	2004/05/28 11:47
		or updat\$3 or modif\$3)) with (request\$3 or		
		repl\$6 or respons\$3) same client\$1 same		
_	35	server\$1) same API ((call\$3 with (transform\$3 or convert\$3	USPAT	2004/05/20 31:50
_	33	or updat\$3 or modif\$3)) with (request\$3 or	USPAI	2004/05/28 11:50
		repl\$6 or respons\$3) same client\$1 same		
		server\$1) & API		
-	132		USPAT	2004/05/28 11:49
		or updat\$3 or modif\$3)) with (request\$3 or		
		repl\$6 or respons\$3)).ab.		
-	4	((call\$3 with (transform\$3 or convert\$3	USPAT	2004/05/28 11:49
		or updat\$3 or modif\$3)) with (request\$3 or		
		repl\$6 or respons\$3) & transaction\$1).ab.		
-	3	''	USPAT	2004/05/28 11:54
		or updat\$3 or modif\$3)) with (request\$3 or		
		repl\$6 or respons\$3) same client\$1 same		
	_	server\$1) & API & DLL	HODAM	2004/05/20 33 55
-	0	((call\$3 with function\$1) with (transform\$3 or convert\$3 or updat\$3 or	USPAT	2004/05/28 11:55
		modif\$3) with (request\$3 or repl\$6 or		
		respons\$3) same client\$1 same server\$1) &		
		API & DLL		
-	9	(((API with (transform\$3 or convert\$3 or	USPAT	2004/05/28 11:57
		updat\$3 or modif\$3)) same communi\$6) same		-001, 00, 20 11.0,
[client\$1 same server\$1) & transaction\$1		
-	0		USPAT	2004/05/28 14:19
		(without with complil\$3)).ab.		
-	0	' ' J=-= '	USPAT	2004/05/28 14:21
ĺ		(without with complil\$3))		
-	0		USPAT	2004/05/28 14:20
		bytecode\$1).ab.	L	

-	0	(JVM with bean\$3 with adapter\$1 with	USPAT	2004/05/28 14:21
		bytecode\$1).ab.		
-	0	(JVM with bean\$3 with adaptor\$1 with	USPAT	2004/05/28 14:20
		bytecode\$1).ab.		
_	0	(JVM with bean\$3 with bytecode\$1).ab.	USPAT	2004/05/28 14:21
_	0	(JVM with bytecode\$1).ab.	USPAT	2004/05/28 14:21
_	ő	1		2004/05/20 14:21
-	J	((java near2 virtual near2 machine) same	USPAT	2004/05/28 14:21
		(without with complil\$3)).ab.		
-	0	(JVM with bean\$3 with adapter\$1 with	USPAT	2004/05/28 14:21
		bytecode\$1).ab.	ļ	
_	0	(JVM with bean\$3 with bytecode\$1).ab.	USPAT	2004/05/28 14:23
1	٥	(JVM with bean\$3 with bytecode\$1)	i	
_	_		USPAT	2004/05/28 14:22
-	163	(JVM with bytecode\$1)	USPAT	2004/05/28 14:22
-	0	(bean\$3 with implement\$3 with	USPAT	2004/05/28 14:23
		bytecode\$1).ab.		}
-	l o	(\$3bean\$3 with implement\$3 with	USPAT	2004/05/28 14:24
	_	bytecode\$1).ab.		
	0	(java same adapt\$3 with implement\$3	TTODAM	2004/05/20 14 24
_	0		USPAT	2004/05/28 14:24
		with bytecode\$1).ab.		
-	0	(adapt\$3 with implement\$3 with	USPAT	2004/05/28 14:24
		bytecode\$1).ab.		l i
-	2	(adapt\$3 with implement\$3 with	USPAT	2004/05/28 14:27
		bytecode\$1)	1	,,,
1_	2	1 -	HEDAT	2004/05/20 14:25
-		(implement\$3 with bytecode\$1 same	USPAT	2004/05/28 14:36
		without with compil\$3)		
-	0	(list\$3 with bytecode\$1 same without	USPAT	2004/05/28 14:37
		with compil\$3)		
-	3	(list\$3 with bytecode\$1 with compil\$3)	USPAT	2004/05/28 14:38
_	Ō	(listener\$3 with bytecode\$1 with	USPAT	2004/05/28 14:38
		compil\$3)	OSPAI	2004/05/28 14:38
			l	
-	29	(\$6bean\$3 with adapt\$6).ab.	USPAT	2004/05/28 14:39
-	0	(\$6bean\$3 with adapt\$6 & (bytecode\$1 or	USPAT	2004/05/28 14:39
		compil\$3)).ab.		
_	1	((\$6bean\$3 with adapt\$6).ab.) &	USPAT	2004/05/28 16:01
1	į	(bytecode\$1 or compil\$3)		,,
_	2	(interpret\$3 with compil\$3 same	USPAT	2004/05/28 17:05
			USPAI	2004/05/28 17:05
	_	adapt\$6).ab.		
-	0	(interpret\$3 with compil\$3 same bean\$1	USPAT	2004/05/28 17:05
).ab.	1	
-	5	(interpret\$3 with compil\$3 same bean\$1)	USPAT	2004/06/01 09:56
-	1	(6,578,191 B1).pn.	USPAT	2004/06/01 14:15
-	0	(converg\$3 with section41).ab.	USPAT	2004/06/01 14:16
l _	o	(converg\$3 with section41)	USPAT	2004/06/01 14:17
	1	(TINA)		
_	892	[USPAT	2004/06/01 14:17
-	2	(TINA).ab.	USPAT	2004/06/01 14:18
-	24	(TINA same service same network\$3)	USPAT	2004/06/01 14:18
-	7	(TINA same service same network\$3 same	USPAT	2004/06/01 14:56
	•	session\$1)		
_	2	((TINA same service same network\$3	USPAT	2004/06/01 14:57
			OSFAI	2004/00/UI 14:5/
		same session\$1)) & API		
-	15	API same session with manager\$3 same	USPAT	2004/06/01 14:58
		communication		
-	10	API same (session near4 manager\$3) same	USPAT	2004/06/01 15:00
		communication		
_	3	API same (session near4 manager\$3) same	USPAT	2004/06/01 15:38
			USPAI	2004/00/01 15:38
	-	communication same applet\$1		
-	0		USPAT	2004/06/01 15:08
		communication & TINA		
-	4	API same (session near4 manager\$3) &	USPAT	2004/06/02 15:15
		TINA		
-	0	API same TINA	USPAT	2004/06/01 15:24
_	53	API & TINA	USPAT	2004/06/01 15:32
1_				
-	4	API & (session near4 manager\$3) same	USPAT	2004/06/01 15:57
	_	TINA	l	1
-	0	API same (session near4 manager\$3)	USPAT	2004/06/01 15:35
		same converg\$3		
-	0	API same (session near4 manager\$3) &	USPAT	2004/06/01 15:35
		converg\$3	1	
-	0	API same (session near4 manager\$3)same "	USPAT	2004/06/01 15:53
		same end to end"		-50-, 50, 61 15.55
_	۰ ا	API same (session near4 manager\$3)same	USPAT	2004/06/01 15:53
	l		OSFAI	2004/00/01 15:53
<u> </u>	L	" end to end"	L	L

-	0	API same (session near4 manager\$3) & "	USPAT	2004/06/01 15:53
		end to end"]
-	0	API same ("session manager\$3") & "	USPAT	2004/06/01 15:53
		end to end"		
-	0	API same ("session manager\$3")	USPAT	2004/06/01 15:54
_	0	API same ("session manager\$3")	USPAT	2004/06/01 15:54
_	54	API same ("session manager ")	USPAT	2004/06/01 15:54
1_	16	API same ("session manager ") & " end	USPAT	2004/06/01 15:54
	10	user"	OSFAI	2004/00/01 13:34
_	1	API same ("session manager ") same "	UCDAM	2004/06/01 15:54
_		end user"	USPAT	2004/06/01 15:54
	_			
_	5	API & (session near4 manager\$3) &	USPAT	2004/06/01 16:03
		TINA		
-	8	API same (session near4 manager\$3)	USPAT	2004/06/01 16:09
	_	same (plug or plug-in or plugin)		
-	3	API same (session near4 manager\$3) same	USPAT	2004/06/01 16:11
		applet\$1		
-	73	API same (session near4 manager\$3)	USPAT	2004/06/01 16:11
-	4	(API\$1 same (session near4 manager\$3	USPAT	2004/06/01 16:11
)).ab.		' '
-	4	(API same (session near4 manager\$3	USPAT	2004/06/01 16:11
)).ab.		
-	3	(API\$1 same (session near4 manager\$3) &	USPAT	2004/06/01 16:12
		applet\$3).ab.		
-	19	(API\$1 same (session near4 manager\$3) &	USPAT	2004/06/01 16:23
	**	applet\$3)	OSFAI	2004/00/01 18:23
_	۰ ا	(API\$1 same (session near4 manager\$3)	USPAT	2004/05/01 15 05
	1	& realtor)	USPAI	2004/06/01 16:23
_		,	HODAG	0004/06/05 55 55
-	0	(API\$1 same (session near4 manager\$3)	USPAT	2004/06/01 16:23
	_	& realtor\$1)		
_	5	(API\$1 same (session near4 manager\$3)	USPAT	2004/06/01 16:32
		& house\$1)		
-	1	(API\$1 same (session with manager\$6)	USPAT	2004/06/01 16:33
	1	same " end user")		
-	20	(API\$1 same (session with manage\$6)	USPAT	2004/06/01 16:37
		same " end user")		
-	18	(API\$1 same (session with manage\$6)	USPAT	2004/06/01 16:33
		same " end user" & applet\$1)		
-	18	(API\$1 with (session with manage\$6)	USPAT	2004/06/01 16:33
		same " end user" & applet\$1)		
-	1	(API\$1 same (session near4 manage\$6)	USPAT	2004/06/01 16:39
		same " end user")		2001, 00, 01 20133
-	31	(API\$1 same (session near4 manage\$6)	USPAT	2004/06/01 16:39
	-	& " end user")	057711	2004,00,01 10.35
_	8	(API\$1 same (session near4 manage\$6)	USPAT	2004/06/01 16:39
		& " end user" & applet\$1)	JOSEAL	2007/00/01 10:39
_	4	l • • • • • • • • • • • • • • • • • • •	HEDAT	2004/06/02 10:42
	*	API same (session near4 manage\$6) & TINA	USPAT	2004/06/02 10:42
1_	126		HODAG	2004/05/22 22 22
1 -		API same (session near4 manage\$6) API same (session near4 manage\$6) &	USPAT	2004/06/02 10:42
1	4		USPAT	2004/06/02 10:42
	_	TINA\$6		
-	6	API same (session near4 manage\$6) same	USPAT	2004/06/02 12:09
		applet\$3		
-	438	(719/328).CCLS.	USPAT	2004/06/02 12:10
-	6	((719/328).CCLS.) & (API same (session	USPAT	2004/06/02 12:55
		near4 manage\$6))		
-	4	(((719/328).CCLS.) & (API same (session	USPAT	2004/06/02 12:55
		near4 manage\$6))) & (notif\$6)		
-	1	(6,430,177 B1).pn.	USPAT	2004/06/02 15:49
-	0	(API with notif\$6 with session\$1).ab.	USPAT	2004/06/02 15:51
-	4	(API with notif\$6 same session\$1)	USPAT	2004/06/02 16:23
-	24	((session near4 manag\$6) with	USPAT	2004/06/02 13:23
		communication with session same \$3switch\$3)		230-1,00,02 17:07
1 -	6	((session near4 manag\$6) with	USPAT	2004/06/02 17:00
1	l	communication with session with \$3switch\$3)	OSFAI	2004/00/02 17:00
-	19	((session near4 manag\$6) with	LICDATE	2004/06/02 17 07
1	19	communication with session with gate\$6)	USPAT	2004/06/02 17:07
<u>-</u>	3	(/ coggion neart manages)	HODAE	2004/05/22 25 25
-	3	((session near4 manag\$6) with	USPAT	2004/06/03 12:23
		communication with session same \$3switch\$3)&		
L	L	TINA\$1	L	